### ADDITIONAL COMMISSIONER OF POLICE, MOTOR TRANSPORT SECTION, MUMBAI-400 008

### **QUOTATION NOTICE [FIRST EXTENSION]**

## Ref.No MUMBAI POLICE/MT/QUOTATION (MERCURY SEA PRO 300 HP GEAR BOX REPAIR) /2024-2025. Dt. 25/11/2024

The Additional Commissioner of Police, Motor Transport, Mumbai - 400008 invites sealed Quotations for **REPAIRING OF GEAR BOX ON MECURY SEA PRO 300 HP ENGINES** fitted on Mumbai Police boats from Suppliers of Mumbai City and suburban area i.e. within the Municipal limit of Greater Mumbai.

Following **REPAIRING OF GEAR BOX ON MECURY SEA PRO 300 HP ENGINES** fitted on Mumbai Police boats. Bidders are requested to quote their lowest offer in Schedule is attached herewith.

The Sealed quotations should be dropped in Quotation Box before 02/12/24 at 11:00 hrs. At the office of The Deputy Commissioner of Police (2) Motor Transport Section, 'C' Block, Shewari Police Colony, Reay Road, Mumbai-400 010.

The Quotations will be opened on date 03/12/24 at 11:00 hrs, at office of Additional Commissioner of Police, Motor Transport Section, Shepherd Road, Nagpada, Mumbai - 400 008.

Bidders are at liberty to be present or authorised their representative to be present at the opening of Quotation at the time, date & place specified as above.

#### Terms & Conditions for supply

1. Spare parts should be supplied by bidders on demand only.

2. Spare parts used/destroyed in test will not be returned and no payment made thereof.

#### 3. All repair works which will be carried out on engine and auxiliaries along with fitment of new

#### equipment should be supported with warranty/Guarantee period.

4. Prices quoted should be Total cost inclusive of GST or duties such as Excise duty, Custom duty, Surcharge if any which the supplier is required to pay to the manufacturer should also include in Price. The bills /invoices of material/Goods purchased /received will be processed after the material/Goods are inspected by our Kit Committee and found acceptable. In case the material is rejected the Bidder/Supplier has to collect the material from our Launch Section at his own cost, and replace by a fresh supply. The Bills of an item rejected and not replaced by a fresh supply will not be processed for payment.

# 5. The Additional Commissioner of Police, Motor Transport, Mumbai – 400 008 reserves the right to accept or reject any or all the part of Quotations without assigning any reason.

6. Price will not exceed than MRP Price.

7. Spare Parts should be Original and Genuine.

8. Price list will be considered as and on date of issuing of work order.

9. If the price of an items is changed then immediately inform to this office at an earliest by means of online or offline

10. The bidder has to make an arrangement of availability of spare parts within 08 days post issuing of work order

11. Price quoted will be fixed for One year i.e. up to Validity of Quotation and no further changes will be accepted.

12. In Case of any changes in GST, revised tax charges will be applicable.

13 Bidding documents can be seen, downloaded & submitted from Date 25/11/2024 to 02/12/2024.

14. Bidder should submit his Quotation with his Authorised Letter Head mentioning GST no. along with copy of PAN card.

15. If possible, quotations will be opened offline on Date. 03/12/24 Hrs. 11:00 at The office of Additional Commissioner of Police, Motor Transport Section, Shepherd Road, Nagpada, Mumbai - 400 008.

(Sachin Badhe) Deputy Commissioner of Police (1) Addl. Charge. Addl. Commissioner of Police, Motor Transport, Mumbai.

# REPAIR OF GEAR BOX ON MERCURY SEA PRO 300 HP ENGINE BOATS INCLUDING WITH SPARES, MATERIAL AND LABOUR CHARGES.

Name of Bidder : M/s .....

GST No.....

Sr. No (1)	Description of Work / Item (2)	UNIT (3)	WARRANTY PERIOD (4)	BASIC PRICE (5)	GST (6)	Total Cost (7)
1	PORT GEAR BOX	Nos				
	OVERHAULING REMOVE					
	AND REFIT					
2	STBD GEAR BOX	Nos				
	OVERHAULING REMOVE					
	AND REFIT					
	GEARCASE DRAIN SEAL	Nos				
3	REPLACEMENT REMOVE					
	AND REFIT					
	OIL DRAIN SEAL	Nos				
4	REPLACEMENT REMOVE					
	AND REFIT					
	WATER PUMP REPAIR KIT	Nos				
5	REPLACEMENT REMOVE					
	AND REFIT					
	PROPELLER REPLACEMENT	Nos				
6	CLOCK WISE REMOVE AND					
	REFIT					
	PROPELLER REPLACEMENT	Nos				
7	COUNTER ROTATION					
	REMOVE AND REFIT					
8	LOWER CASING ASSLY	Nos				
•	REPAIR REMOVE AND REFIT					
	LOWER CASING ASSLY	Nos				
9	REPLACEMENT REMOVE					
	AND REFIT					
10	GEAR HOUSING COUNTER	Nos				
	ROTATION REPLACEMENT					
	REMOVE AND REFIT					
11	DRIVE SHAFT GEAR BOX	Nos				
	COUNTER REPLACEMENT					
	REMOVE AND REFIT					

12       COUNTER REPLACEMENT REMOVE AND REFIT       Nos         13       REPLACEMENT REMOVE AND REFIT       Nos         13       REPLACEMENT REMOVE AND REFIT       Nos         14       COUNTER REPLACEMENT REMOVE AND REFIT       Nos         15       COUNTER REPLACEMENT REMOVE AND REFIT       Nos         16       COUNTER REPLACEMENT REMOVE AND REFIT       Nos         16       COUNTER REPLACEMENT REMOVE AND REFIT       Nos         17       REARING ASSLY CUP CONE REFIT       Nos         18       COUNTER REMOVE AND REFIT       Nos         19       COUNTER REMOVE AND REFIT       Nos         10       COUNTER REMOVE AND REFIT       Nos         11       RETAINING RING COUNTER AND REFIT       Nos         12       GEAR REVERSE COUNTER AND REFIT       Nos         13       REPLACEMENT REMOVE AND REFIT       Nos         14       COUNTER REPLACEMENT REMOVE AND REFIT       Image: Counter         14       REARING ROLLER TAPER REMOVE AND REFIT       Image: Counter         15       COUNTER REPLACEMENT REMOVE AND REFIT       Image: Counter         16       COUNTER REPLACEMENT REMOVE AND REFIT       Image: Counter         16       COUNTER REPLACEMENT       Image: Counter       Image: Counter		ROLLER BEARING	Nos		
REMOVE AND REFITNoImage: second	12		1103		
SHIM SET COUNTER     Nos     Image: Set Counter Remove AND Refit     Nos     Image: Set Counter Remove AND Refit       14     COUNTER REPLACEMENT REMOVE AND REFIT     Nos     Image: Set Counter Replacement Remove AND Refit     Image: Set Counter Replacement Remove AND Refit       15     COUNTER REPLACEMENT REMOVE AND REFIT     Nos     Image: Set Counter Replacement Remove AND Refit     Image: Set Counter Remove AND Refit       16     COUNTER REPLACEMENT REMOVE AND REFIT     Nos     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit       17     REPLACEMENT REMOVE AND REFIT     Nos     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit       18     REPLACEMENT REMOVE AND REFIT     Nos     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit       19     COUNTER REPLACEMENT REMOVE AND REFIT     Nos     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit       20     ROTATION REPLACEMENT REMOVE AND REFIT     Nos     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit       21     STANDARD ROTATION REPLACEMENT REMOVE AND REFIT     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit       22     REPLACEMENT REMOVE AND REFIT     Image: Set Counter Remove AND Refit     Image: Set Counter Remove AND Refit     Image: Set Count					
13       REPLACEMENT REMOVE AND REFIT       Nos       Image: Second Se			Noc		
AND REFITImage: state of the sta	13		1105		
BEARING ASSLY CUP CONE       Nos       Image: Constant of the second sec					
14       COUNTER REPLACEMENT REMOVE AND REFIT       NOS       Image: Counter Replacement REMOVE AND REFIT         35       COUNTER REPLACEMENT REMOVE AND REFIT       NoS       Image: Counter Replacement REFIT       Image: Counter Remove And REFIT         36       COUNTER REPLACEMENT REMOVE AND REFIT       NoS       Image: Counter Remove And REFIT       Image: Counter Remove And REFIT       Image: Counter Remove And REFIT       Image: Counter Remove And REFIT       Image: Counter Remove And REFIT       Image: Count			Nec		
REMOVE AND REFITNONOSImage: series of the s	14		INOS		
GEAR SET FORWARDNOS15COUNTER REPLACEMENT REMOVE AND REFITNos16COUNTER REMOVE AND REFITNos16COUNTER REMOVE AND REFITNos17GEAR REVERSE COUNTER REPLACEMENT REMOVE AND REFITNos18REFLACEMENT REMOVE AND REFITNos18REPLACEMENT REMOVE AND REFITNos19COUNTER REPLACEMENT REMOVE AND REFITNos19COUNTER REPLACEMENT REMOVE AND REFITNos20ROTATION REPLACEMENT REMOVE AND REFITNos21GEAR HOUSING STANDARD NOSNos22STANDARD ROTATION REPLACEMENT REMOVE AND REFITNos22STANDARD ROTATION REPLACEMENT REMOVE AND REFITNos23BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENos23BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENos23BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENos23BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENos24BEARING ASSLY CUP CONE AND REFITNos25STANDARD ROTATION REPLACEMENT REMOVE AND REFITNos26STANDARD ROTATION REPLACEMENT REMOVENos27BEARING ASSLY CUP CONE 					
15       COUNTER REPLACEMENT REMOVE AND REFIT       Nos         16       COUNTER REMOVE AND REFIT       Nos         16       COUNTER REMOVE AND REFIT       Nos         17       REPLACEMENT REMOVE AND REFIT       Nos         18       REPLACEMENT REMOVE AND REFIT       Nos         18       REPLACEMENT REMOVE AND REFIT       Nos         18       REPLACEMENT REMOVE AND REFIT       Nos         19       COUNTER REPLACEMENT REMOVE AND REFIT       Nos         19       COUNTER REPLACEMENT REMOVE AND REFIT       Nos         20       ROTATION REFIT       Nos         21       REARING STANDARD Nos       Nos         22       STANDARD ROTATION REPLACEMENT REMOVE AND REFIT       Nos         22       STANDARD ROTATION REPLACEMENT REMOVE AND REFIT       Nos         22       STANDARD ROTATION REPLACEMENT REMOVE AND REFIT       Nos         23       BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVE       Nos         23       BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVE       Nos			NOC		
REMOVE AND REFITImage: constraint of the second			NOS		
SEAL REPLACEMENTNosNosNos16COUNTER REMOVE AND REFITNosImage: Counter of the second se	15				
16COUNTER REMOVE AND REFITImage: section of the section of					
REFITImage: section of the			NOS		
GEAR REVERSE COUNTER REPLACEMENT REMOVE AND REFITNos NosImage: Constant of the second sec	16				
17       REPLACEMENT REMOVE AND REFIT       Nos       Image: Constraint of the second secon					
AND REFIT AND REFIT AND REFIT AND REFIT AND REFIT REPLACEMENT REMOVE AND REFIT COUNTER REPLACEMENT REMOVE AND REFIT COUNTER REPLACEMENT REMOVE AND REFIT REPLACEMENT REMOVE AND REFIT			Nos		
RETAINING RING COUNTER REPLACEMENT REMOVE AND REFITNosImage: state intermediate intermedintermediate intermediate intermediate inter	17				
18       REPLACEMENT REMOVE AND REFIT       Nos       Image: Constant of the second of the sec					
AND REFITImage: second sec			Nos		
BEARING ROLLER TAPER COUNTER REPLACEMENT REMOVE AND REFITNosImage: Comparison of the second s	18				
19COUNTER REPLACEMENT REMOVE AND REFITIIII20GEAR HOUSING STANDARD ROTATION REPLACEMENT REMOVE AND REFITNosIII21ROLLER BEARING STANDARD ROTATION REPLACEMENT REMOVE AND REFITNosIII21BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVE AND REFITNosIII22BEARING ASSLY CUP CONE AND REFITNosIIII22BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVE AND REFITNosIII23BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENosIII23BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENosIII					
REMOVE AND REFITImage: standard		BEARING ROLLER TAPER	Nos		
GEAR HOUSING STANDARD ROTATION REPLACEMENT REMOVE AND REFITNosImage: Constraint of the second	19	COUNTER REPLACEMENT			
20ROTATION REPLACEMENT REMOVE AND REFITNos21ROLLER BEARING STANDARD ROTATION REPLACEMENT REMOVE AND REFITNos22BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVE AND REFITNos22BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVE AND REFITNos23BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENos24BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENos25STANDARD ROTATION REPLACEMENT REMOVENos26STANDARD ROTATION REPLACEMENT REMOVENos27BEARING ASSLY CUP CONE STANDARD ROTATION REPLACEMENT REMOVENos28STANDARD ROTATION REPLACEMENT REMOVENos29STANDARD ROTATION REPLACEMENT REMOVENos					
REMOVE AND REFITImage: second sec		GEAR HOUSING STANDARD	Nos		
ROLLER BEARINGNosNosImage: Constraint of the second secon	20	ROTATION REPLACEMENT			
21       STANDARD ROTATION REPLACEMENT REMOVE AND REFIT       Image: Constraint of the second secon					
21REPLACEMENT REMOVE AND REFITImage: Constant of the second se	21	ROLLER BEARING	Nos		
REPLACEMENT REMOVE       Image: Constraint of the second sec		STANDARD ROTATION			
BEARING ASSLY CUP CONENos22STANDARD ROTATIONREPLACEMENT REMOVE					
22STANDARD ROTATION REPLACEMENT REMOVE AND REFITImage: Constant of the second s					
22       REPLACEMENT REMOVE         AND REFIT         BEARING ASSLY CUP CONE         23         STANDARD ROTATION         REPLACEMENT REMOVE	22	BEARING ASSLY CUP CONE	Nos		
REPLACEMENT REMOVE       Image: Constraint of the second sec		STANDARD ROTATION			
23     BEARING ASSLY CUP CONE     Nos       STANDARD ROTATION     Image: Constraint of the second		REPLACEMENT REMOVE			
23 STANDARD ROTATION REPLACEMENT REMOVE		AND REFIT			
23 REPLACEMENT REMOVE	23	BEARING ASSLY CUP CONE	Nos		
REPLACEMENT REMOVE		STANDARD ROTATION			
AND REFIT		REPLACEMENT REMOVE			
		AND REFIT			

	GEAR SET FORWARD	Nos		
24	STANDARD ROTATION			
	REPLACEMENT REMOVE			
	AND REFIT			
25	SEAL REPLACEMENT	Nos		
	STANDARD ROTATION			
	REPLACEMENT REMOVE			
	AND REFIT			
26	GEAR REVERSE STANDARD	Nos		
	ROTATION REPLACEMENT			
	REMOVE AND REFIT			
	RETAINING RING STANDARD	Nos		
27	ROTATION REPLACEMENT			
	REMOVE AND REFIT			
	BEARING ROLLER TAPER	Nos		
28	STANDARD ROTATION			
	REPLACEMENT REMOVE			
	AND REFIT			
29	DRIVE SHAFT GEAR BOX	Nos		
	REPLACEMENT STANDARD			
	ROTATION REPLACEMENT			
	REMOVE AND REFIT			

Supplier's Signature & Seal